



NOTES:

1. PRIOR TO PAVING, THE CONTRACTOR IS TO NOTIFY THE ENGINEERING DIVISION.
2. PAVING SPECIFICATIONS ARE TO FOLLOW SECTION 4.06 OF THE STATE OF CONNECTICUT, DEPARTMENT OF TRANSPORTATION FORM 817 AND SUPPLEMENT SPECIFICATIONS.
3. PARTICULAR ATTENTION WILL BE PAID TO TEMPERATURE OF THE BITUMINOUS CONCRETE, AMBIENT AIR TEMPERATURE AND GROUND TEMPERATURE.
4. ALL PAVEMENT SHALL BE PLACED BY MECHANICAL MEANS.

NOTE: THIS DRAWING SUPERSEDES ALL PRIOR VERSIONS. DRAWING MAY BE REVISED WITHOUT PRIOR NOTICE. CONTACT ENGINEERING DEPARTMENT FOR CURRENT VERSION.

INFORMATION SHOWN ON THIS DETAIL WAS PREPARED FOR USE BY THE CITY OF MILFORD. RESPONSIBILITY FOR REUSE FOR THIS INFORMATION RESIDES WITH THE USER. THE CITY OF MILFORD, ITS EMPLOYEES, ASSIGNS OR AGENTS ARE TO BE HELD HARMLESS AGAINST ANY LIABILITY RESULTING FROM ANY OCCURRENCE ASSOCIATED WITH THE REUSE OF THIS INFORMATION. ALTERATION OF THIS STANDARD DETAIL IS STRICTLY UNAUTHORIZED WITHOUT THE APPROVAL OF THE CITY ENGINEER.

TRENCH PAVEMENT RESTORATION

CITY OF MILFORD
DEPT. OF PUBLIC WORKS
ENGINEERING BUREAU
 GREGORY PIDLUSKI, P.E., L.S.
 CITY ENGINEER

SCALE:
N.T.S.

DATE:
JANUARY 9, 2023

SHEET:
TR-3

